


Revision History				
EC No	REV	Date	Description	Approvals
NA	X00	6/9/08	Created DWG	SA

- NOTES
- THIS BLOWER AND ALL OF ITS COMPONENTS COMPLY WITH THE REQUIREMENTS OF RoHS DIRECTIVE 2002/95/EC
 - TWIST WIRES 1 TURN MIN PER 10 MM
 - BASE MODEL BLOWER - ANY CHANGES TO SPECIFICATION REQUIRES NEW PART NUMBER.



WIRE DESIGNATION	
Wire Color	Function
Black	GND
Red	PWR, 12Vdc

	ITEM	SPECIFICATION	UNITS / NOTES
MECHANICAL	Speed	2400 +/- 10%	RPM at 12 Vdc
	Airflow	18.0	CFM in Free Air
	Static Pressure	0.50	Inch, H ₂ O
	Bearing Type	Ball, Dual	N/A
	Operating Temp	(-)10 to 70	Deg C
	Storage Temp	(-)40 to 70	Deg C
	Noise Level	40	dBA Max at 1M
PHYSICAL	Blade Material	UL 94V-0	N/A
	Frame Material	UL 94V-0	N/A
	Wire Size	24	AWG
	Wire Type	UL 1007	N/A
	Wire Assembly	NA	N/A
ELECTRICAL	Regulatory Approvals	UL CUL TUV	N/A
	Net Weight	TBD	Grams
	Operating Voltage	10.8 to 13.2	Vdc
	Startup Voltage	10.8	Vdc
	Rated Current	0.50	Amp
	Input Power	6.0	Watts
	Tach Output	NA	Pulses/Rev
	Polarity Protection	Yes	N/A
	Motor Protection	Auto Restart	N/A

All Dimensions in mm	
A	97.0 +/- 0.5
B	93.0 +/-0.5
C	33.0 +/-0.5
D	300 +/- 25
E	2 x 4.5 Dia +/-0.5
F	50.0 +/-0.5
G	39.0 +/-0.5
H	71.0 +/-0.5
I	100.4 Ref
J	49.8 +/-0.5
K	33.0 +/-0.5
L	57.0 +/-0.5
M	6.4 +/- 1.0

3	1	Cover Mounting Screw	NA	NA
2	1	Logo Label	L09700B0001	JMC
1	1	Fan Model	B9733-12MB	JMC
Item	Qty	Description	Part Number	MFG
		Austin Texas, USA Dong Guan, PRC	Blower, 97x94x33 mm , 12 Vdc Dual Ball, Base Model	
Drawn By S. Apsangi			Size A1	Rev X00
Engineer J. Elmo			Drawing Number 09700B0001	Scale: None

PROPRIETARY NOTE

This document is the property of JMC products and contains sensitive and confidential information. Neither this document nor any information it contains may be reproduced or distributed, without written permission by JMC products.