



Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

## Fans, Electric - Component

## COMPANY

JMC PRODUCTS

201 S Lakeline Blvd, Suite 6-601 Cedar Park, TX 78613 United States

E175589

Marking: Company name and model designation. Note: For additional marking information, refer to the <u>Guide Information Page</u>.

**12 Volt DC Fan,** Model(s): 1225 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 1238 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 2510 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 3006 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 3010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 3828 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

12 Volt DC Fan, Model(s): 4020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4028 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6038 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 7015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 7025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8038 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 9025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 9225 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 9232 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A

**12 Volt DC Fan,** Model(s): 9238 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fans,** Model(s): 404056 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fans,** Model(s): 405038 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fans,** Model(s): 40532 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 1225 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 1238 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 3828 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 4020 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 4025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 4028 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6010 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6015 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6020 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6038 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 7015 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 7025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 8015 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 8020 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 8025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A

**24 Volt DC Fan,** Model(s): 8038 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9225 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9232 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9238 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 1225 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 1238 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 6025 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 6038 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8015 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8020 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8025 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8038 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9025 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9225 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9232 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9238 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 2510 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 3006 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 3010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z

**5 Volt DC Fan,** Model(s): 3828 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4028 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6038 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 7015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 8015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 8020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 8025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**DC fans,** Model(s): B9733-12H(X) Where (X) may be S or B., B9733-12L(X) Where (X) may be S or B., B9733-12M(X) Where (X) may be S or B., B9733-12VH Where (X) may be S or B., B9733-24H(X) Where (X) may be S or B., B9733-24L(X) Where (X) may be S or B., B9733-48H(X) Where (X) may be S or B., B9733-48L(X) Where (X) may be S or B., B9733-48M(X) Where (X) may be S or B., B9733-48H(X) Where (X) may be S or B., B9733-48L(X) Where (X) may be S or B., B9733-48M(X) Where (X) may be S or B., B9733-48H(X) Where (X) may be S or B., B9733-48H(X) Where (X) may be S or B., B9733-48L(X) Where (X) may be S or B., B9733-48M(X) Where (X) may be S or B.

**Impedance Protected, Axial DC Fans,** Model(s): A3510-12 followed by EEEZGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of letters .

Low Voltage Component Fans, Model(s): B7730-12+ + May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z.

Low Voltage Component Fans, Model(s): B7730-24+ + May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1238-48 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1751-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1751-24 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1751-48 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A3015-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A3510-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A3628-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A9238-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B4020-12 followed by EEEYGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B5015-12 followed by EEEYGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B5728-12 followed by EEEYGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B6015-12 followed by EEEYGGGG. Where

EEE may be 100 to 950, and GGGG may be blank or any computation or one and **Low Voltage Component, Impedance Protected, Polymeric Frame, Axial Fans,** Model(s): A3015-12 followed by EEEZGGGG. Where

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B4020-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B5015-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B5728-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B6015-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low voltage DC component fan, Model(s): B5020-12

Last Updated on 2023-08-31

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."





Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

# Fans, Electric Certified for Canada - Component

## COMPANY

### JMC PRODUCTS

201 S Lakeline Blvd, Suite 6-601 Cedar Park, TX 78613 United States

E175589

Marking: Company name model designation, and the Recognized Component Mark for Canada c W

**12 Volt DC Fan,** Model(s): 1225 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 1238 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 2510 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 3006 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 3010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 3828 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters  $A_{R}^{V}$ 

**12 Volt DC Fan,** Model(s): 4025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 4028 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 5025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6010 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 6038 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 7015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 7025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8015 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8020 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 8038 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 9025 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 9225 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fan,** Model(s): 9232 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A

**12 Volt DC Fan,** Model(s): 9238 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fans,** Model(s): 404056 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fans,** Model(s): 405038 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**12 Volt DC Fans,** Model(s): 40532 followed by -12. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 1225 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 1238 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 3828 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 4020 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 4025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 4028 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6010 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6015 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6020 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 6038 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 7015 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 7025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 8015 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 8020 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 8025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A

**24 Volt DC Fan,** Model(s): 8038 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9025 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9225 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9232 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**24 Volt DC Fan,** Model(s): 9238 followed by -24. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 1225 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 1238 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 6025 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 6038 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8015 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8020 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8025 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 8038 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9025 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9225 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9232 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**48 Volt DC Fan,** Model(s): 9238 followed by -48. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 2510 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 3006 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 3010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z

**5 Volt DC Fan,** Model(s): 3828 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 4028 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 5025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6010 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 6038 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 7015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 8015 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 8020 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**5 Volt DC Fan,** Model(s): 8025 followed by –5. May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z, non-safety related.

**DC fans,** Model(s): B9733-12H(X) Where (X) may be S or B., B9733-12L(X) Where (X) may be S or B., B9733-12M(X) Where (X) may be S or B., B9733-12VH Where (X) may be S or B., B9733-24H(X) Where (X) may be S or B., B9733-24L(X) Where (X) may be S or B., B9733-48H(X) Where (X) may be S or B., B9733-48L(X) Where (X) may be S or B., B9733-48M(X) Where (X) may be S or B., B9733-48M(X) Where (X) may be S or B.

**Impedance Protected, Axial DC Fans,** Model(s): A3510-12 followed by EEEZGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of letters .

GPWV8.E175589 - Fans, Electric Certified for Canada - Component | UL Product iQ

Low Voltage Component Fans, Model(s): B7730-12+ + May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z.

Low Voltage Component Fans, Model(s): B7730-24+ + May be preceded by any letter A-Z and/or may be followed by one to eight letters A-Z.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1238-48 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1751-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1751-24 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A1751-48 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A3015-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A3510-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A3628-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Axial Fans, Model(s): A9238-12 followed by EEEYGGGG. Where A may be blank or a letter other than "B", EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B4020-12 followed by EEEYGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B5015-12 followed by EEEYGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B5728-12 followed by EEEYGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Electronically Protected, Polymeric Frame, Blowers, Model(s): B6015-12 followed by EEEYGGGG. Where

EEE may be 100 to 950, and GGGG may be blank or any computation or one and **Low Voltage Component, Impedance Protected, Polymeric Frame, Axial Fans,** Model(s): A3015-12 followed by EEEZGGGG. Where

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B4020-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B5015-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

GPWV8.E175589 - Fans, Electric Certified for Canada - Component | UL Product iQ

Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers, Model(s): B5728-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

**Low Voltage Component, Impedance Protected, Polymeric Frame, Blowers,** Model(s): B6015-12 followed by EEEZGGGG. Where EEE may be 100 to 950, and GGGG may be blank or any combination of one to four letters.

Low voltage DC component fan, Model(s): B5020-12

Last Updated on 2023-08-31

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."